



### **OVALYN<sup>TM</sup> UNDERCOUNTER SINK**

#### VITREOUS CHINA

#### OVALYN™ UNDERCOUNTER SINK

- Classic oval undermount sink
- · Made from vitreous china
- Unglazed rim for undercounter mount
- Front overflow
- Supplied with mounting kit (047194-0070A) and template

**☐** 0495.221 Unglazed rim 435 x 359mm (17-1/8" x 14-1/8")

☐ 0495.300 Glazed underside

#### Bowl size:

382mm (15-1/16") wide 306mm (12-1/16") front to back 140mm (5-1/2") deep

**☐** 0496.221 Unglazed rim 489 x 413mm (19-1/4" x 16-1/4")

☐ 0496.300 Glazed underside

#### Bowl size:

432mm (17") wide 356mm (14") front to back 140mm (5-1/2") deep

**☐** 0497.221 Unglazed rim 546 x 441mm (21-1/2" x 17-3/8")

☐ 0497.300 Glazed underside

#### Bowl size:

483mm (19") wide 391mm (15-3/8") front to back 140mm (5-1/2") deep

### **Compliance Certifications -Meets or Exceeds the Following Specifications:**

- ASME A112.19.2M for Vitreous China Fixtures
- CAN/CSA B45 series

| ☐ 1-1/4" Trap: |
|----------------|
|----------------|



SEE REVERSE FOR ROUGHING-IN DIMENSIONS

J49 Revised 10/07 © 2007 American Standard Inc.


<sup>\*</sup> See faucet section for additional models available

# American Standard

## **BARRIER FREE**

### **OVALYN<sup>TM</sup> UNDERCOUNTER SINK**

**VITREOUS CHINA** 



MEETS THE AMERICANS WITH DISABILITIES ACT **GUIDELINES AND ANSI A117.1 ACCESSIBLE AND USEABLE BUILDINGS AND FACILITIES -**

SEALING COMPOUND SUPPLIED BY OTHERS.

CHECK LOCAL CODES. Countertop 864mm (34") from finished floor. Lavatory installed 76mm (3") from front edge of countertop. Countertop thickness to be 25mm (1") maximum.

\* DIMENSIONS SHOWN FOR LOCATION OF SUPPLIED AND "P" TRAP ARE SUGGESTED. ▼ UNDERCOUNTER MOUNTING KIT SUPPLIED WITH SINK.


PLEASE NOTE MINIMUM INTERIOR CLEARANCE DIMENSION (K).
FITTINGS NOT INCLUDED AND MUST BE ORDERED SEPARATELY.
USE ENCLOSED TEMPLATE FOR COUNTERTOP CUTOUT


IMPORTANT: Dimensions of fixtures are nominal and may vary within

the range of tolerances established by ANSI Standard A112.19.2. These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages.

|   |  | -                   | - E       | (1-1/6)   |           |
|---|--|---------------------|-----------|---|-----------|
|   | SEA<br>COMPO   | LING 13m            |           | COUNTERTOP<br>(BY OTHERS)                       | 76mm (24) |
| 8 | *286mm<br>(11-1/4) 1<br>*349mm<br>(13-3/4) 1<br>64mm<br>(34) 5 | 1-1/4<br>O.D. WASTE | A AL      | UPPLIES<br>S REQ'D<br>SA DRAIN (34<br>JTLET (34 |           |
|   | FITTING  | А                   | В         | *   |           |
|   | CENTERSET  | 1-1/4 (32mm)        | 4 (102mm) |   |           |
|   | SPREAD   | 1-3/8 (35mm)        | 8 (203mm) |   |           |

| CAT. NO. | Е        | F        | G     | Н        | С        | D        | J     | К          |
|----------|----------|----------|-------|----------|----------|----------|-------|------------|
| 0496.221 | 489mm    | 413mm    | 432mm | 356mm    | 103mm    | 182mm    | 16mm  | 500mm      |
|          | (19-1/4) | (16-1/4) | (17)  | (14)     | (4-1/16) | (7-3/16) | (5/8) | (19-11/16) |
| 0497.221 | 546mm    | 441mm    | 483mm | 391mm    | 95mm     | 191mm    | 19mm  | 534mm      |
|          | (21-1/2) | (17-3/8) | (19)  | (15-3/8) | (3-3/4)  | (7-1/2)  | (3/4) | (21-1/16)  |





USE ENCLOSED TEMPLATE FOR COUNTER TOP CUTOUT. FITTINGS NOT INCLUDED WITH FIXTURE AND MUST BE ORDERED SEPARATELY.

\* DIMENSIONS SHOWN FOR LOCATION OF SUPPLIED AND "P"

TRAP ARE SUGGESTED.
▼ UNDERCOUNTER MOUNTING KIT SUPPLIED WITH SINK.
PLEASE NOTE MINIMUM INTERIOR CLEARANCE DIMENSION (K). SEALING COMPOUND SUPPLIED BY OTHERS.

IMPORTANT: Dimensions of fixtures are nominal and may vary within the range of tolerances established by ANSI Standard A112.19.2. These measurements are subject to change or cancellation. No responsibility is assumed for use of superseded or voided pages



MEETS THE AMERICANS WITH DISABILITIES ACT **GUIDELINES AND ANSI A117.1 ACCESSIBLE AND USABLE BUILDINGS AND FACILITIES -**CHECK LOCAL CODES.

Countertop 864mm (34") from finished floor. Lavatory installed 51mm (2") from front edge of countertop. Countertop thickness to be 25mm (1") maximum.

