

# Clay Roof Tile

STANDARD AND LIGHTWEIGHT COLLECTIONS

USTile®

Clay Roofing Products



**Westlake**  
Royal Building Products™

ROOFING  
SOLUTIONS

# Clay Roof Tiles



- Select Cool Roof Rated Colors
- Color Fade Limited Warranty\*
- Cradle to Cradle Certified
- 100% Recyclable
- Up to 59% Recycled Content
- Class A Fire Rated
- Select Hail Rated Products



Inspired by nature



## US Tile®

### Clay Roofing Products

#### A Roof for the Ages

A genuine clay tile roof has a story to tell, a tale of legendary craftsmanship, timeless taste, and uncompromising values.

For over 5,000 years, visionary people have crowned their homes with clay tile roofs. It continues to be a cherished tradition because of its lasting beauty and enduring strength over time.

Made from natural materials, the raw clay is literally transformed by fire. It becomes an aesthetic object shaped for time-tested style and performance, and it can remain virtually unchanged after decades of service. Clay tile roofs make a bold statement about a way of life and the art of living.

#### The Best Possible Clay Tile Roof

Our passion is to create the best clay tile possible, a symbol of premium roofing. Artisan inspired, crafted with care for the earth and a sense of value, our American-made tile is produced in our cutting-edge manufacturing facility. Stringent quality control assures tiles that look consistently exquisite and install smoothly.

Supporting tradition with design innovation, our tile allows for customized installations including staggering, boosting, serpentine patterns, and more.

#### The Most Environmentally Responsible Tile Available

Our clay tile is made from up to 59% recycled material and the raw materials are sourced locally reducing transportation and minimizing the environmental footprint.

Our premium manufacturing process exposes the unique, exquisite colors of clay in a pallet of rich and vibrant hues. Clay tile tends to be naturally reflective and many of our colors meet the highest cool roofing standards such as LEED, which can help improve comfort and energy efficiency.

#### A Promise of Performance

We believe in our clay roof tile products, which outperform virtually any roofing product on the market today. We demonstrate our belief by offering a powerful warranty to the original purchaser, which is transferrable to a new owner for a term of 50 years.\*



Cool Roof Rating Council (CRRC) measures the “coolness” of a roof by determining a roof’s solar reflectance (SR) and thermal emittance (TE). Both properties are rated on a scale from 0 to 1, where 1 is the most reflective or emissive. The CRRC measures these two properties for roofing products, both for the product’s initial values and after three years of weather exposure. CRRC rated products help reduce the heat island effect found in urban areas and in general, increases the overall energy efficiency of the building. For more information, please visit our website Cool Roof resources page: [westlakeroyalroofing.com/cool-roof-colors/](http://westlakeroyalroofing.com/cool-roof-colors/)



For appropriate regions that experience full winter weather, some of our clay tiles meet Grade 1 standards per ASTM C1167.



Recycled Content – percentage of pre-industrial content.

\*For product warranty details, please visit [US Tile Product Warranty](#) on our website. The warranty found there is the sole warranty applicable to US Tile roofing products.




## 2-Piece Mission

True two-piece Mission barrel tiles speak of history, security and luxury. With a simple, practical design that dates back to the Bronze Age, mission tiles have adorned the roofs of palaces, temples and the early missions in California.

2-Piece Mission tile is a perfect execution of a timeless tradition. Durable, colorfast and manufactured with the most modern methods and the highest standards, 2-Piece Mission tiles distinguish your home with unmatched beauty and elegance. All 2-Piece Mission colors are Grade 1 tested and approved per ASTM C1167.



Enduring  
beauty



Custom Blend:  
Bermuda 20%  
El Camino 80%

### Madera Blend

tops: 1UADU3107 / pans: 1UBDU6078 ♻️ 59%



CRRC ID: 0942-0177  
Ref: .28 / Emit: .87 / SRI: 28 / Aged SRI: 24

### Carmel Blend

tops: 1UADU0075 / pans: 1UBDU0073 ♻️ 49%



CRRC ID: 0942-0178  
Ref: .35 / Emit: .87 / SRI: 37 / Aged SRI: 32

### Mallorca

tops: 1UADU6080 / pans: 1UBDU6080 ♻️ 49%



CRRC ID: 0942-0130  
Ref: .42 / Emit: .86 / SRI: 46 / Aged SRI: 43

### Red

tops: 1UADU7025 / pans: 1UBDU7025 ♻️ 59%



CRRC ID: 0942-0224  
Ref: .31 / Emit: .86 / SRI: 32 / Aged SRI: 27\*

### Tuscany

tops: 1UADU6075 / pans: 1UBDU6075 ♻️ 59%



CRRC ID: 0942-0156a  
Ref: .22 / Emit: .86 / SRI: 20 / Aged SRI: 20

### Fire Flash

tops: 1UADU6074 / pans: 1UBDU7025 ♻️ 59%



CRRC: 0942-0157a  
Ref: .25 / Emit: .85 / SRI: 23 / Aged SRI: 23

### El Camino Blend

tops: 1UADU6073 / pans: 1UBDU7025 ♻️ 59%



CRRC ID: 0942-0138a  
Ref: .28 / Emit: .84 / SRI: 27 / Aged SRI: 24

### Palermo Blend

tops: 1UADU6081 / pans: 1UBDU7025 ♻️ 59%



CRRC ID: 0942-0179  
Ref: 0.25 / Emit: 0.86 / SRI: 24 / Aged SRI: 22

### Newport Blend

tops: 1UADU7040 / pans: 1UBDU6075 ♻️ 59%



CRRC: 0942-0160a  
Ref: .19 / Emit: .86 / SRI: 15 / Aged SRI: 17

\*Estimated Aged SRI

**Old World #1**  
tops: 1UADU0073 / pans: 1UBDU0073 49%



CRRC ID: 0942-0158a  
Ref: .43 / Emit: .84 / SRI: 47 / Aged SRI: 43

**Bermuda Blend**  
tops: 1UADU0074 / pans: 1UBDU6080 49%



CRRC ID: 0942-0131b  
Ref: .42 / Emit: .84 / SRI: 45 / Aged SRI: 43

**Rustic Newport**  
tops: 1UADI7040 / pans: 1UBDU6075 59%



CRRC ID: 0942-0160a  
Ref: .19 / Emit: .86 / SRI: 15 / Aged SRI: 17

**Old World #2**  
tops: 1UADU6078 / pans: 1UBDU6078 59%



CRRC ID: 0942-0161a  
Ref: 0.29 / Emit: 0.84 / SRI: 28 / Aged SRI: 29

**Turino Blend**  
tops: 1UADU6082 / pans: 1UBDU6080 49%




CRRC ID# - 0942-0180  
Ref: .38 / Emit: .87 / SRI: 41 / Aged SRI: 38

**Rustic Palermo**  
tops: 1UADI6081 / pans: 1UBDU7025 59%



CRRC ID: 0942-0179  
Ref: .25 / Emit: 0.86 / SRI: 24 / Aged SRI: 22

**Old World #3**  
tops: 1UADU3114 / pans: 1UBDU6078 59%



CRRC ID: 0942-0159a  
Ref: .30 / Emit: .85 / SRI: 30 / Aged SRI: 29

**Rustic Carmel**  
tops: 1UADI0075 / pans: 1UBDU0073 59%



CRRC ID: 0942-0178  
Ref: .35 / Emit: .87 / SRI: 37 / Aged SRI: 32

**Rustic Madera**  
tops: 1UADI3107 / pans: 1UBDU6078 59%



CRRC ID: 0942-0177  
Ref: .28 / Emit: .87 / SRI: 28 / Aged SRI: 24



Transforming style  
and substance  
into roofing





## 2-Piece Monarch

The Old-World charm of traditional small-barrel, high-arch clay tile is captured exquisitely by our two-piece Monarch tile. For the truly inspired designer or homeowner, this authentic Mediterranean style offers a more closely refined roof that is distinctive, vibrant and universally appealing.

Monarch tiles are rich with the time-honored aura of kiln-fired clay, made with modern consistency and efficiency to the most exacting standards of quality, strength, and durability.



Custom Blend

Aesthetics  
of traditional  
European styling



**Madera Blend**  
tops: 1UCDU3107 / pans: 1UDDU3107 ♻️ 59%



CRRC ID: 0942-0177  
Ref: .28 / Emit: .87 / SRI: 28 / Aged SRI: 24

**Newport Blend**  
tops: 1UCDU7040 / pans: 1UDDU7040 ♻️ 59%



CRRC ID: 0942-0160a  
Ref: 0.19 / Emit: 0.86 / SRI: 15 / Aged SRI: 17

**Turino Blend**  
tops: 1UCDU6082 / pans: 1UDDU6081 ♻️ 49%



CRRC ID: 0942-0180  
Ref: .38 / Emit: .87 / SRI: 41 / Aged SRI: 38

**Carmel Blend**  
tops: 1UCDU0075 / pans: 1UDDU3107 ♻️ 49%



CRRC ID: 0942-0178  
Ref: .35 / Emit: .87 / SRI: 37 / Aged SRI: 32

**Palermo Blend**  
tops: 1UCDU6081 / pans: 1UDDU6081 ♻️ 59%



CRRC ID: 0942-0179  
Ref: .25 / Emit: 0.86 / SRI: 24 / Aged SRI: 22





## 1-Piece "S" Tile

The sophisticated composition of one-piece "S" clay tile accents the curvature of the roof, creating a distinct, elegant dimensional color. The covers and pans of classic barrel tile are joined into a single, strong, efficient piece that radiates the traditional clay tile appeal.

US Tile® clay tile is crafted with meticulous care. 1-Piece "S" Tile is designed to allow custom options such as boosting for that artisan inspired installation while saving time and cost, making clay tile beauty and value available at substantial savings.

All 1-Piece "S" Tile has been Class 3 hail rated by Architectural Testing Roof Covering Impact Certification Program: [www.archtest.com](http://www.archtest.com), and Grade 1 tested and approved by ASTM C1167.



Old World Custom Blend

Superior durability  
without compromising  
true, kiln-fired looks



### Turino Blend 1USDU6082

49%



CRRC ID: 0942-0180  
Ref: .38 / Emit: .87 / SRI: 41 / Aged SRI: 38

### El Camino Blend 1USDU6073

59%



CRRC ID: 0942-0138a  
Ref: .28 / Emit: .84 / SRI: 27 / Aged SRI: 24

### Mallorca 1USDU6080


49%



CRRC ID: 0942-0130  
Ref: 0.42 / Emit: 0.86 / SRI: 46 / Aged SRI: 43

### Carmel Blend 1USDU0075

49%



CRRC ID: 0942-0178  
Ref: .35 / Emit: .87 / SRI: 37 / Aged SRI: 32

### Newport Blend 1USDU7040


59%



CRRC ID: 0942-0160a  
Ref: .19 / Emit: .86 / SRI: 15 / Aged SRI: 17

### Red 1USDU7025


59%



CRRC ID: 0942-0224  
Ref: .31 / Emit: .86 / SRI: 32 / Aged SRI: 27\*

### Madera Blend 1USDU3107

59%



CRRC ID: 0942-0177  
Ref: .28 / Emit: .87 / SRI: 28 / Aged SRI: 24

### Palermo Blend 1USDU6081

59%



CRRC ID: 0942-0179  
Ref: .25 / Emit: .86 / SRI: 24 / Aged SRI: 22

### Fire Flash 1USDU6074

59%



CRRC ID: 0942-0157a  
Ref: .25 / Emit: .85 / SRI: 23 / Aged SRI: 23

\*Estimated Aged SRI

The printed colors shown in this brochure may vary from actual available tile colors. Always use actual product samples for color selection.

**Old World #1**  
1USDU0073

♻️ 49%



CRRC ID: 0942-0158a  
Ref: .43 / Emit: .84 / SRI: 47 / Aged SRI: 43

**Bermuda Blend**  
1USDU0074


♻️ 49%



CRRC ID: 0942-0131b  
Ref: .42 / Emit: 0.84 / SRI: 45 / Aged SRI: 43

**Rustic Madera**  
1USDI3107

♻️ 59%



CRRC ID: 0942-0177  
Ref: .28 / Emit: .87 / SRI: 28 / Aged SRI: 24

**Old World #2**  
1USDU6078

♻️ 59%



CRRC ID: 0942-0161a  
Ref: .29 / Emit: .84 / SRI: 28 / Aged SRI: 29

**Tuscany**  
1USDU6075

♻️ 59%



CRRC ID: 0942-0156a  
Ref: .22 / Emit: .86 / SRI: 20 / Aged SRI: 20

**Rustic Newport**  
1USDI7040


♻️ 59%



CRRC ID: 0942-0160a  
Ref: .19 / Emit: .86 / SRI: 15 / Aged SRI: 17

**Old World #3**  
1USDU3114

♻️ 59%



CRRC ID: 0942-0159a  
Ref: .30 / Emit: .85 / SRI: 30 / Aged SRI: 29

**Rustic Carmel**  
1USDI0075

♻️ 49%



CRRC ID: 0942-0178  
Ref: .35 / Emit: .87 / SRI: 37 / Aged SRI: 32

**Rustic Palermo**  
1USDI6081

♻️ 59%



CRRC ID: 0942-0179  
Ref: .25 / Emit: .86 / SRI: 24 / Aged SRI: 22



*El Camino Blend*



*Tuscany*

**Custom Blend #1**  59%



50% Fire Flash; 50% Newport Blend

**Custom Blend #2**  49%



50% Bermuda Blend; 50% Carmel Blend

**Custom Blend #3**  49%



50% Carmel Blend; 50% Old World #2

**Old World Tri Blend**  49%



33% Old World #1; 33% Old World #2; 33% Old World #3

**De Anza Blend**  59%



80% El Camino; 10% Fire Flash; 10% Mallorca

**Custom Blend #4**  59%



50% El Camino Blend; 50% Newport Blend

**Custom Blend #5**  49%



50% Carmel Blend; 50% Madera Blend

**Custom Blend #6**  49%



50% Rustic Carmel; 50% Rustic Madera

**Custom Blend #7**  59%



50% Old World #2; 50% Newport Blend

**Custom Blend #8**  59%



50% Madera Blend; 50% Newport Blend

**Custom Blend #9**  59%



50% Rustic Newport Blend; 50% Rustic Madera



*Madera & Palermo Blend*



# Romano Pans

Romano Pans trace their roots to the ancient Greeks. The flat-bottomed pan is designed for use with either Mission or Monarch barrel-shaped tops and creates a look reminiscent of classical European aesthetics and style. Setting off the barrel tile, Romano Pans allow design flexibility and create a stunning appearance that signifies individuality of style in the best of taste.

Romano Pans are available in cool roof colors for a house that is as energy-efficient as it is distinctive. Romano Pans are Grade 1 tested and approved per ASTM C1167.



**Old World #2**  
1URDU6078



CRRC ID: 0942-0161a  
Ref: .29 / Emit: .84 / SRI: 28 / Aged SRI: 29

**Newport Blend**  
1URDU7040



CRRC ID: 0942-0160a  
Ref: .19 / Emit: .86 / SRI: 15 / Aged SRI: 17

**Tuscany**  
1URDU6075



CRRC ID: 0942-0156a  
Ref: .22 / Emit: .86 / SRI: 20 / Aged SRI: 20

**Madera Blend**  
1URDU3107



CRRC ID: 0942-0177  
Ref: .28 / Emit: .87 / SRI: 28 / Aged SRI: 24

**Red**  
1URDU7025



CRRC ID: 0942-0224  
Ref: .31 / Emit: .86 / SRI: 32 / Aged SRI: 27\*

**El Camino Blend**  
1URDU6073



CRRC ID: 0942-0138a  
Ref: .20 / Emit: .84 / SRI: 27 / Aged SRI: 24

Sensible luxury  
meets performance





# ClayLite®

The beauty of kiln-fired clay and the efficiency-advantage of one-piece "S" tile are elegantly engineered into ClayLite, a genuine clay tile that reduces weight by as much as 40%. Made from the same natural materials as our standard-weight tile, ClayLite is designed especially for re-roofing.

With tile that weighs less than 600 pounds per square, a home can be enhanced with the traditional rich color palette and comfort performance of clay, often without the need for added structural reinforcement.



Terracotta

Encompassing the art of living



Merlot Blend



**Viejo Blend\*\***  
2UNDU6084



CRRC ID: 0942-0181  
Ref: .30 / Emit: .86 / SRI: 30 / Aged SRI: 27

**Merlot Blend\*\***  
2UNDU6072



CRRC ID: 0942-0133a  
Ref: .22 / Emit: .83 / SRI: 18 / Aged SRI: 21

**Terracotta\*\***  
2UNDU6090



CRRC ID: 0942-0225  
Ref: .32 / Emit: .85 / SRI: 33 / Aged SRI: 27\*

**Corona De Oro Blend**  
2UNDU6085



CRRC ID: 0942-0163a  
Ref: .42 / Emit: .83 / SRI: 45 / Aged SRI: 42

**Chaparral Blend\*\***  
2UNDU6095



CRRC ID: 0942-0144a  
Ref: .31 / Emit: .82 / SRI: 30 / Aged SRI: 29

**Java Blend\*\***  
2UNDU3250



CRRC ID: 0942-0184  
Ref: .20 / Emit: .86 / SRI: 17 / Aged SRI: 16



Merlot, Corona de Oro, Viejo Custom Blend  
Faux Mission




# ClayMax®

ClayMax lightweight tile offers a modern variant on the classic theme, a low-profile double-barrel tile that brings together the beauty and benefits of clay tile in a design that pairs resilience with sensibility.


ClayMax tile are ideal for re-roofing, as well as residential, commercial and homeowners association projects where weight, durability and value are important considerations, but style and performance are not to be compromised. All ClayMax colors have been Grade 1 approved by ASTM C1167.



Long term durability,  
reminiscent of  
hand crafted tile



**Red**  
2UMDU7025



CRRC ID: 0942-0224  
Ref: .31 / Emit: .86 / SRI: 32 / Aged SRI: 27\*

**Newport Blend**  
2UMDU7040



CRRC ID: 0942-0160a  
Ref: .19 / Emit: .86 / SRI: 15 / Aged SRI: 17

**Madera Blend**  
2UMDU3107



CRRC ID: 0942-0177  
Ref: .28 / Emit: .87 / SRI: 28 / Aged SRI: 24

**El Camino Blend**  
2UMDU6073



CRRC ID: 0942-0138a  
Ref: .28 / Emit: .84 / SRI: 27 / Aged SRI: 24



# Faux Mission

The "Faux Mission" installation technique gives architects, builders and homeowners the superior aesthetics of a traditional two-piece clay tile roof at an affordable price.

We carefully designed our "S" Tile, ClayLite® and our traditional 2-Piece Mission tile profiles to fit together, allowing a custom installation that provides the aesthetics of a traditional two-piece tile while capturing the cost saving benefits of an "S" Tile or ClayLite. The 2-Piece Mission tile is installed at the eave where the details of the roof are most visible. The "S" Tiles or ClayLite tiles are then installed on the rest of the roof for a much quicker and easier installation than a traditional two-piece tile roof.



*Faux Mission | 50% Rustic Newport; 50% Newport Blend  
20% mortar boost*


An exquisite and state-of-the-art product which embodies extraordinary creativity & design



*Faux Mission | 50% Carmel; 50% Torino*



*Faux Mission | 50% Rustic Carmel; 50% Rustic Palermo*



*Faux Mission | 50% El Camino Blend; 50% Bermuda Blend*



Profile	Size	Coverage	Installed Weight per Square	Pieces per Pallet	Squares per Pallet	Weight per Pallet	Birdstop	Size
 2-Piece Mission	18" x 7"- 8.5"	At 3" minimum headlap, 172 field tiles will cover approx. 100 square feet of roof area.	Approx: 1,000 lbs.	360	2.09	Approx: 2,150 lbs.		6.75" x 3.75"
NOTE: Select 2-Piece Mission meets Grade 1 standards per ASTM C1167.								
 2-Piece Monarch	18" x 5.25" - 6.75"	At 3" minimum headlap, 220 field tiles will cover approx. 100 square feet of roof area.	Approx: 1,070 lbs.	408	1.85	Approx: 2,050 lbs.		5" x 3"
 1-Piece "S" Tile	18" x 13"	At 3" minimum headlap, 88 field tiles will cover approx. 100 square feet of roof area.	Approx: 800 lbs.	252	2.86	Approx: 2,400 lbs.		6.75" x 2.625"
NOTE: 1-Piece "S" Tile is Class 3 Hail Rated product per FM4473 standards. Select 1-Piece "S" Tile meets Grade 1 standards per ASTM C1167.								
 Romano Pans	18" x 11"	At 3" minimum headlap, 74 field tiles will cover approx. 100 square feet of roof area.	Approx: 900 lbs.	420	-	Approx: 2,950 lbs.	-	-
NOTE: Romano Pans meet Grade 1 standards per ASTM C1167.								
 ClayLite	18" x 13"	At 3" minimum headlap, 88 field tiles will cover approx. 100 square feet of roof area.	Approx: 590 lbs.	318	3.6	Approx: 2,448 lbs.		6.75" x 2.625"
NOTE: Select ClayLite meets Grade 1 standards per ASTM C1167.								
 ClayMax	18" x 13"	At 3" minimum headlap, 88 field tiles will cover approx. 100 square feet of roof area.	Approx: 580 lbs.	418	4.75	Approx: 2,900 lbs.	-	-
NOTE: Select ClayMax meets Grade 1 standards per ASTM C1167.								

## Visualize

Picture your new roof with [US Tile Clay Inspiration house photo gallery](#) on our website. Design your home with your dream roof by using our [Dream Home Visualizer](#). Upload your house image or use gallery images and the tool will auto-generate a rendering which you can use to try out different products in the design phase. Order Product Samples directly through the tool.



## Explore the Infinite Color Possibilities

Design-A-Blend is your starting point to explore the infinite color possibilities with US Tile®. As you identify color combinations you are interested in, email your blends or give us a call and we will take it from there.

Visit [WestlakeRoyalRoofing.com/Clay-Blend-Designer/](http://WestlakeRoyalRoofing.com/Clay-Blend-Designer/) to try it today!



## Order A Sample

Deciding on the perfect roof can be overwhelming. So, instead of wondering what color or style will work, order a sample and take the guesswork out of your decision. It's just another way US Tile® makes it easy to buy with confidence.



## Online Ordering

Manage your orders through [myWestlakeRoyal](#), a simple online tool to track product orders in real time, all from the convenience of your computer, tablet or smartphone. Sign-up for email alerts to notify you of your order status.

## Architectural Tools

Our complete suite of architectural tools, including Arcat 3-Part Specs and CAD/BIM drawings, are available for download directly from our website.



## About Westlake Royal Building Products™

The Roofing Solutions portfolio from Westlake Royal Building Products™ is a recognized national leader in durable and sustainable clay, composite, concrete, and steel roof systems. Encompassing a suite of materials that provide strength, versatility, and refinement, our portfolio includes US Tile® Clay Roofing Products, Newpoint™ Concrete Roof Tile, Unified Steel™ Stone Coated Roofing, DaVinci® Roofscapes, and Westlake Royal™ Roofing Components, all designed to deliver a higher standard of roof installation, performance, and design.



**Code Approval:** Some approvals are regional and only apply to locally produced products; please contact US Tile® before transporting product across state lines. Specifically, products used in the Miami-Dade County region of Florida require special testing and recognition. All tiles are Class A fire rated.

**Disclaimer:** The printed colors shown in this brochure may vary from actual available tile colors. Before making a final selection, be sure to review actual tile samples and roof installations. Please contact your local sales office for further assistance. Inadvertent errors in this publication are subject to change without notice. No performance guarantee is offered or implied beyond that expressly indicated.

**Installation:** According to the Tile Roofing Institute loading guidelines, "To achieve a pleasant, random blend of color for your job, care should be taken upon loading to mix the tiles." (Source: 2015 Concrete and Clay Roof Tile Installation Manual). Please consult the Tile Roofing Institute (TRI) Installation guides for application recommendations.

**NOTE:** Please call Customer Service at 800.669.8453 or login to [myWestlakeRoyal](#) at [WestlakeRoyalRoofing.com](http://WestlakeRoyalRoofing.com) to confirm product quantities and availability before arriving at the plant for pick up. Select products are made-to-order and are available for pick up within approximately 2-3 weeks from the order date. These made-to-order products may require a minimum quantity, so please check with customer service before placing your order.



# BE BOUNDLESS™

## THE PRODUCTS TO DO EVERYTHING. THE POWER TO DO EVEN MORE.

We're answering "what ifs" on a whole new level—from the solutions we create to the dreams we build. We have the tools and technology to tell design stories on a bigger scale and on a more personal level. There are no limits to how far we innovate, how deeply we express, how strongly we commit and how boldly we go.

**Together let's Be Boundless™.**

**Westlake**  
Royal Building Products™



US Tile® Clay Roofing Products  
WestlakeRoyalRoofing.com | 800.669.8453  
Part# BR037 03/24 | UST205750

