

Installation Guide

LAUNDRY SINK WITH CABINET






Prior to Installation

•••



Read the following instructions carefully before you begin this installation:

- Observe all plumbing and building codes in accordance with your state and local requirements.
- Shut off hot and cold water supplies. Inspect drain and supply tubing. Replace if necessary.
- Unpack new sink and inspect it for damage. Afterward, return the sink to its protective cabinet until the installation begins.
- The step-by-step guide in the installation instructions is for general reference only. Should there be any discrepancies, Eridanus cannot be held liable. It is required that all Eridanus products be installed by a licensed professional.
- Read installation and maintenance instructions thoroughly before installing. Be sure to use proper tools and always wear proper personal safety equipment.
- Two people are recommended to place and install the sink to avoid personal injuries or accidental damage to the item.






Installation Procedures

•••

- . Assemble the cabinet and tighten it with screws.
- II. Place the assembled cabinet in the intended location and position it flush against the wall.
- III. Mark the locations of the four mounting holes on the wall with a pencil, then move the console cabinet away.
- IV. Drill 8mm holes at each marked spot, then insert expansion anchor bolts into each hole.



- V. Secure the bathroom cabinet to the wall using provided lag screws.
- **VI.** After ensuring stability, place the sink onto the console cabinet.
- VII. Install the faucet and drain assembly as per the manufacturer's instructions and run water to test for leakage.



Eridanus utility sinks are meticulously handcrafted with fine fireclay or ceramic and have undergone strict quality inspections. With proper care and cleaning measures, Eridanus sinks will keep in new condition and function well for an extended period of time.

General Cleaning

- It's recommended to clean Eridanus sinks on a regular basis to avoid the build-up of soap or mineral deposits.
- When cleaning, use a non-abrasive cleaner and a soft cloth to rinse the sink thoroughly and wipe it dry to eliminate water spots, as allowing water or cleaners to evaporate will have a negative effect on the appearance of the sink.

Do's



- ✓ Rinse laundry detergent thoroughly and make sure there's no residue.
- ✓ Wipe the sink dry using a soft cloth after each use.
- ✓ Scrape off any heavy grime with a plastic spatula.
- ✓ Use baking soda or mild detergent to clean off heavy stains.
- ✓ Test the cleaning solution on an inconspicuous area before applying it to the entire surface.
- ✓ Use a strainer to catch lint and small items like buttons to prevent clogging.











Scraper

Don'ts



- X Avoid storing open containers of household cleaners and chemicals containing chlorides such as bleach, acid, drain cleaners, or toilet bowl cleaner beneath the sink.
- X Avoid using harsh, abrasive cleaners or chemicals as they will potentially scratch the surface.
- X Avoid direct contact with sharp and metallic objects by using protective plastic bowls, rinse baskets, and sink grids with non-abrasive bases.
- X Never use steel wool, cleaning pads, or any other form of abrasive cleaning materials to clean the sink as this may dull and damage the surface of the sink.
- > Do not set hot pans or other hot items directly into the sink until they cool down.
- Do not leave any form of standing water in the sink, especially if the water contains anything that could stain the sink.

Installation Guide