

Stump-Out®

DO-IT-YOURSELF

STUMP

ONE 12-18" SIZE STUMP

STUMP REMOVAL

No mixing

Decomposes dead stumps for easier removal

Keep Out Of Reach Of Children

CAUTION See booklet for more information

Net Weight 1 LB (.45kg) Packed by weight, not volume

STUMP-OUT®

- √Helps accelerate the decomposition of dead tree stumps for easier removal
- √ Easy to apply granules
- √ Works in 4-6 weeks

Buyers Guarantee Limited to Label Claims ©Bonide Products, LLC All Rights Reserved Bonide Products, LLC 6301 Sutliff Road, Oriskany, NY 13424 1(800) 536-8231

BN

1 l b

0 37321 00272

Job 239091

Bonide Stump-Out dissolves the lignin binding between cellulose layers of the stump making it porous. When kerosene or fuel oil is poured onto the stump and the stump is ignited, it can burn down to the roots. Easy to use, non-explosive and will not harm surrounding vegetation.

Stumps do not burn with any open flame or billowing smoke when treated with this product. Therefore, it may still be used in locales that prohibit open burning. If burning is not desired, this product may still be used to accelerate the process of natural decomposition. In any case, depending on the size of the stump, the whole process may take several weeks.

Green, freshly cut stumps should be seasoned (small stumps at least one year, large stumps at least 18 months).

DIRECTIONS FOR USE

Drill 1-inch holes straight down from top of stump to depth of about 10 inches. Then into the side of the stump, about 4 to 5 inches down from the top, drill a 1-inch wide hole slanting downward toward the bottom of each vertical hole. The two hole ends should meet. It is important to drill the side holes slanting downward so the water to be poured into

the holes won't run out. Also when the drill holes meet, a natural ventilation is created to destroy the stump when ignited.

After holes are drilled as directed, follow this procedure:

Pour 4 - 6 oz. of Stump Out into each hole.

- 1) Fill holes with water.
- 2) Let stand for 4 6 weeks.
- 3) After 4 6 weeks, fill each hole with kerosene or fuel oil.
- 4) Let stand until the kerosene or fuel oil is completely absorbed into the stump.
- 5) Pour enough kerosene onto the stump to ignite it.
- 6) The stump will burn with a smoldering red glow down to the roots.
- 6A) As an alternative to kerosene or fuel oil you may choose to ignite the stump by burning charcoal briquettes on the top of the stump. This method also will cause the stump to smolder down to the roots and leave only ashes.
- 6B) To remove stump without any burning, use a hatchet or axe to chop out the now porous cellulose layers of the stump.

For smaller stump disposal (12-18 inches wide), drill 2 sets of holes in each stump, proceed as directed.

For larger stumps, 18 inches or wider, drill a minimum of 4 sets of holes. Proceed as directed.

For more efficient stump disposal, drill additional sets of holes in each stump. Proceed as directed.



CAUTION: Wash hands thoroughly after handling. Do not eat, drink or smoke when using this product. Wear eye protection; do not get into eyes. If in Eyes: Rinse cautiously with water for several minutes. If present, remove contact lenses and rinse with water again. If Swallowed: Rinse mouth. Seek medical help.

Have the product container or label with you when calling a poison control center, doctor, or going for treatment. You may also contact SafetyCall® International at: 833-972-1101 for emergency medical treatment information.

STORAGE: Store in a cool dry place safe from pets and children.

DISPOSAL: Wrap in paper and discard in trash. Keep away from children. Wash after each use. Contains Sodium Metabisulfite (CAS No. 7681-57-4)

BONIDE*

STUMP-OUT®

KEEP OUT OF REACH OF CHILDREN CAUTION

Contains: Sodium Metabisulfite

See attached booklet for complete Directions for Use

CAUTION: May cause serious eye damage. Do not get in eyes. Harmful if swallowed. Harmful to aquatic life.

NOTICE: To the extent consistent with applicable law, buyer assumes all responsibility for safety and use not in accordance with directions.

Questions & Comments? Call 1(800) 536-8231 or visit our website at www.bonide.com

Bonide Products, LLC.
6301 Sutliff Road Oriskany, NY 13424

All Rights Reserved
1(800) 536-8231