

### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Revision date: 01/19/2024

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

Product name : Revenge Ant Killer Granules

Product code : 4468

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture : Insecticide

#### 1.3. Details of the supplier of the safety data sheet

Bonide Products, LLC 6301 Sutliff Road Oriskany, NY 13424

Telephone Number: (315) 736-8231

Comment: Bonide hours of operation are 8:00 a.m. to 4:30 p.m EST.

Website: <a href="www.bonide.com">www.bonide.com</a>
Email address: <a href="mailto:sales@bonide.com">sales@bonide.com</a>

#### 1.4. Emergency telephone numbers (24 hour)

Medical : SafetyCall - (833) 972-1101

Spills : CHEMTREC - 1 (800) 424-9300 and/or 1 (703) 527-3887

#### **SECTION 2: Hazards identification**

#### 2.1. Classification of the substance or mixture

#### **Classification (GHS-US)**

Carcinogenicity 1A H350

Specific Target Organ Toxicity - Single Exposure 3 H335 Specific Target Organ Toxicity - Repeat Exposure 1 H372

#### 2.2. Label elements

#### **GHS-US** labeling

Hazard pictograms (GHS-US)





Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : H335 - May cause respiratory irritation.

H350 - May cause cancer (inhalation).

H372 - Causes damage to organs (respiratory system) through prolonged or repeated exposure

(inhalation).

Precautionary statements (GHS-US) : P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P260 - Do not breathe dust.

P264 - Wash hands, forearms, and other exposed areas thoroughly after handling.

P270 - Do not eat, drink or smoke when using this product. P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear protective gloves, protective clothing, mask and eye protection. P304+P340 - IF INHALED: Remove person to fresh air and keep comfortable for

breathing.

P308+P313 - If exposed or concerned: Get medical advice/attention. P312 - Call a POISON CENTER or doctor if you feel unwell.

P314 - Get medical advice/attention if you feel unwell.

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P405 - Store locked up.

P501 - Dispose of contents/container to in accordance with local/national regulations.

#### 2.3. Other hazards

May be harmful if swallowed. May cause skin irritation. Avoid creating dust when handling, using, or storing. Exposure may aggravate pre-existing eye, skin, or respiratory conditions.

Revision date: 01/19/2024 EN (English US) Page 1

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **SECTION 3: Composition/information on ingredients**

#### Mixture

Name	Product identifier (CAS No)	%
Lambda-cyhalothrin	91465-08-6	0.04
Limestone/Calcium Carbonate*	1317-65-3/471-34-1	< 96^

<sup>\*</sup>Crystalline silica (quartz) may be present as a naturally occurring mineral in the ingredients used in this formulation. The respirable portion of crystalline silica in this product is very small, and excessive inhalation is unlikely under normal conditions of use.

#### **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

First-aid measures general

: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation

: Assure fresh air breathing. Allow the person to rest.

First-aid measures after skin contact

: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.

First-aid measures after eye contact

Rinse immediately with plenty of water. Obtain medical attention if pain, blinking or redness

persist.

First-aid measures after ingestion

: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries: Not expected to present a significant hazard under anticipated conditions of normal use.

#### 4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

#### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

#### 5.2. Special hazards arising from the substance or mixture

Fire Hazard: Not considered flammable but may burn at high temperatures.

Explosion Hazard: Product is not explosive.

Reactivity: Hazardous reactions will not occur under normal conditions.

#### 5.3. Advice for firefighters

Firefighting instructions

: Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Avoid (reject) fire-fighting water to enter environment.

Protection during firefighting

: Do not enter fire area without proper protective equipment, including respiratory protection.

Hazardous Combustion Products

: Crystalline silica exists in several forms, the most common of which is quartz. If crystalline silica (quartz) is heated to more than 870°C, it can change to a form of crystalline silica known as trydimite, and if crystalline silica (quartz) is heated to more than 1470°C, it can change to a form of crystalline silica known as cristobalite. The OSHA PEL for crystalline silica as trydimite and cristobalite is one-half of the OSHA PEL for crystalline silica (quartz).

#### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

#### 6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Ventilate area

#### 6.2. Environmental precautions

Prevent entry to sewers and public waters.

#### 6.3. Methods and material for containment and cleaning up

Methods for cleaning up : On land, sweep or shovel into suitable containers. Avoid creating dust. Store away from other

materials.

Revision date: 01/19/2024 EN (English US) 2/6

<sup>&#</sup>x27;Ingredients not listed or listed with a weight % range are considered a trade secret and are withheld under 29 CFR 1910.1200(i).

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Additional Hazards When Processed : Cutting, crushing, sanding or grinding of crystalline silica-bearing materials will release respirable

crystalline silica. Use all appropriate measures of dust control or suppression, and Personal Protective Equipment (PPE) described in Section 8 below. Heavy material - proper lifting methods or equipment. Do not breathe dust. Avoid contact with eyes, skin and clothing.

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and

when leaving work. Provide good ventilation in process area to prevent formation of vapor.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Protect from moisture. Keep container closed when not in use. Store in original container.

Incompatible materials : Oxidizers. Acids. Dissolves in hydrofluoric acid, producing corrosive silicon tetrafluoride gas.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

For substances listed in Section 3 that are not listed here, there are no established Exposure limits from the manufacturer, supplier, importer, or the appropriate advisory agency including: ACGIH (TLV), AIHA (WEEL), NIOSH (REL), OSHA (PEL), or Canadian provincial governments.

Crystalline Silica, quartz (impurity)			
USA ACGIH	ACGIH TWA (mg/m³)	0.025 mg/m³ (respirable particulate matter)	
USA ACGIH	ACGIH chemical category	A2 - Suspected Human Carcinogen	
USA OSHA	OSHA PEL (TWA) (mg/m³)	50 μg/m³	
USA NIOSH	NIOSH REL (TWA) (mg/m³)	0.05 mg/m³ (respirable dust)	
USA IDLH	US IDLH (mg/m³)	50 mg/m³ (respirable dust)	

Limestone/Calcium Carbonate (1317-65-3/471-34-1)		
USA NIOSH	NIOSH REL (TWA) (mg/m³)	10 mg/m³ (total dust)
		5 mg/m³ (respirable dust)

<sup>\*</sup> Limestone is not a carcinogen listed by ACGIH, MSHA, OHSA, NTP, DFG, RSST, or IARC. However, crystalline silica may be at or above detection levels (0.1%). Occurrence is dependent upon the stone source, process and specific application.

#### 8.2. Exposure controls

Personal protective equipment : Avoid all unnecessary exposure.

Hand protection : Wear protective gloves.

Eye protection : Chemical goggles or safety glasses.

Respiratory protection : Wear approved mask.

Other information : When using, do not eat, drink or smoke.

#### **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state : Solid

Appearance : Grey to tan granular.

Color : Grey to tan.

Odor : Mild.

Odor threshold : No data available No data available Melting point : No data available : No data available Freezing point Boiling point : No data available Flash point : > 212 °F (>100 °C) Self ignition temperature No data available Decomposition temperature : No data available Flammability (solid, gas) No data available Relative density : No data available Density : 80 Lbs./cu. ft. Solubility : Negligible.

Revision date: 01/19/2024 EN (English US) 3/6

#### Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Log Pow : No data available
Log Kow : No data available
Explosive properties : No data available
Oxidizing properties : No data available
Explosive limits : No data available

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

No additional information available

#### 10.2. Chemical stability

Stable under normal conditions.

#### 10.3. Possibility of hazardous reactions

Not established.

#### 10.4. Conditions to avoid

Extremely high or low temperatures.

#### 10.5. Incompatible materials

Oxidizers. Acids. Dissolves in hydrofluoric acid, producing corrosive silicon tetrafluoride gas.

#### 10.6. Hazardous decomposition products

Carbon monoxide. Carbon dioxide.

#### **SECTION 11: Toxicological information**

#### 11.1. Information on toxicological effects

Acute toxicity : Not classified

Skin corrosion/irritation : Not classified

Serious eye damage/irritation : Not classified

Respiratory or skin sensitization : Not classified

Germ cell mutagenicity : Not classified

Carcinogenicity : May cause cancer (Inhalation).

Reproductive toxicity : Not classified

Specific target organ toxicity (single exposure) : May cause respiratory irritation.

Specific target organ toxicity (repeated

exposure)

: Causes damage to organs (respiratory system) through prolonged or repeated exposure

(Inhalation).

Aspiration hazard : Not classified

Symptoms/Injuries After Inhalation : Respiratory irritation. Repeated or prolonged exposure to respirable (airborne) crystalline silica

dust will cause lung damage in the form of silicosis. Symptoms will include progressively more

difficult breathing, cough, fever, and weight loss.

Symptoms/Injuries After Skin Contact : Prolonged exposure may cause skin irritation.

Symptoms/Injuries After Eye Contact : May cause slight irritation to eyes.

Symptoms/Injuries After Ingestion : Ingestion may cause adverse effects

Chronic Symptoms : May cause cancer. Causes damage to organs through prolonged or repeated exposure.

LD50 and LC50 Data:

Crystalline Silica, quartz (impurity)		
LD50 Oral Rat	> 5000 mg/kg	
LD50 Dermal Rat	> 5000 mg/kg	
Limestone/Calcium Carbonate (1317-65-3/471-34-1)		
LD50 Oral Rat	6450 mg/kg	

Crystalline Silica, quartz, IARC Group 1, National Toxicology Program (NTP) Status Known Human Carcinogens. OSHA Hazard Communication Carcinogen List - In OSHA Hazard Communication Carcinogen list.

#### **SECTION 12: Ecological information**

#### 12.1. Toxicity

No additional information available

Revision date: 01/19/2024 EN (English US) 4/6

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

#### 12.2. Persistence and degradability

Revenge Ant Killer Granules		
Persistence and degradability	Not established.	

#### Lambda-cyhalothrin (91465-08-6)

Persistence and degradability Not established.

#### Bioaccumulative potential

Revenge Ant Killer Granules		
Bioaccumulative potential Not established.		
Lambda-cyhalothrin (91465-08-6)		
Bioaccumulative potential	Not established.	

#### Mobility in soil

No additional information available

#### 12.5. Other adverse effects

Other information : Avoid release to the environment.

#### **SECTION 13: Disposal considerations**

#### Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Ecology - waste materials : Avoid release to the environment.

#### **SECTION 14: Transport information**

Not regulated for transport, in accordance with DOT, IMDG, and IATA.

### **SECTION 15: Regulatory information**

#### **US Federal Regulations** 15.1.

SARA Section 311/312 Hazard Classes	Health hazard - Carcinogenicity		
	Health hazard - Specific target organ toxicity (single or repeated exposure)		
Crystalline Silica, quartz (impurity)			
Listed on the United States TSCA (Toxic Substances Co	ntrol Act) inventory		
Limestone (1317-65-3)			
Listed on the United States TSCA (Toxic Substances Co	introl Act) inventory		
Calcium Carbonate (471-34-1)			
Listed on the United States TSCA (Toxic Substances Co	entral Act) inventory		

#### 15.2. **US State Regulations**

#### **California Proposition 65**

WARNING: This product can expose you to Quartz, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

Chemical Name (CAS No.)	Carcinogenicity	Developmental	Female Reproductive	Male Reproductive
		Toxicity	Toxicity	Toxicity
Crystalline Silica, quartz	Х			
Crystalline Silica, quartz (impurity)				

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

#### Limestone (1317-65-3)

- U.S. Massachusetts Right To Know List
- U.S. New Jersey Right to Know Hazardous Substance List
- U.S. Pennsylvania RTK (Right to Know) List

Revision date: 01/19/2024 EN (English US) 5/6

## Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION: Harmful if swallowed. Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash hands thoroughly after handling and before eating or smoking. Food utensils such as spoons or measuring cups must not be used for food purposes after use in measuring pesticides.

#### **SECTION 16: Other information**

Other information : None.

SDS US (GHS HazCom 2012) - Pesticides

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

Revision date: 01/19/2024 EN (English US) 6/6